akribis

DATASHEET

SPMK2000E Pneumatic pressure calibration pump

BCLog-Control

Distributed by AKRIBIS



SPMK2000E
Pneumatic Pressure Calibration Pump



Product Description

SPMK2000E pressure calibration pump is a pneumatic desk-top pressure generator with 3 outports. The pressure range is -0.95 to 60bar (-14-900)psi. It is a hand operated pressure pump which can generate pressure smoothly up to 60bar. It is a perfect pressure calibration comparator for lab usage.

Product Characteristics

- Pressure range -0.95-60bar, -14-900psi;
- Pneumatic type, perfect pressure stability;
- Hand tight quick connector, easy to connect the under tested device;
- Special structure design makes easy to reach high pressure;
- Fine adjustment screw of 1Pa.

Product Specifications

Model	SPMK2000E
Pressure range	(-0.95- 60)bar, (-14-900)psi
Fine adjustment	1Pa
Medium	Air
Dimensions	(465×360×246) mm
Weight	14 kg
Outport thread	M20*1.5, 1/4NPT, 1/4BSP, 1/2NPT, 1/2BSP Female. Please confirm 1 or 2 thread type from above.
Accessories	Outport O rings and repair kits
Warranty	1 year

Pressure Test Pumps Selection Form

Model	Photo	Type	Range	Media	Weight	Page
SPMK212C		Pneumatic	(-0.5-0.5)bar,(-7-7)psi	Air	1.5kg	P15
SPMK213C		Pneumatic	(-0.7-1)bar,(-10-15)psi	Air	3.0kg	P16
SPMK213B		Pneumatic	(-0.95-6)bar,(-14-90)psi	Air	2.6kg	P17
SPMK213H		Pneumatic	(-0.95-25)bar,(-14-375)psi; (-0.95-40)bar,(-14-600)psi	Air	2.6kg	P18
SPMK213E		Pneumatic	(-0.95-70)bar,(-14-1000)psi; (-0.95-100)bar,(-14-1500)psi	Air	5.5kg	P19
SPMK214E		Pneumatic	(-0.95-160)bar,(-14-2320)psi; (-0.95-200)bar,(-14-3000)psi	Air	6.5kg	P20
SPMK214L		Hydraulic	(0-700)bar,(0-10,000)psi	Water / Oil	4.7kg	P21
SPMK2000E		Pneumatic	(-0.95-60)bar,(-14-900)psi	Air	14.0kg	P22
SPMK990S		Hydraulic	(0-600)bar,(0-9,000)psi; (0-1,000)bar,(0-15,000)psi	Water	15.0kg	P23
SPMK990Y		Hydraulic	(0-600)bar,(0-9,000)psi; (0-1,000)bar,(0-15,000)psi	Oil	15.0kg	P23
SPMK213K		Hydraulic	(0-2,500)bar,(0-36,500)psi	Water / Oil	17.0kg	P24
SPMK214K		Hydraulic	(0-4,200)bar,(0-60,000)psi	Oil	22.8kg	P25