DATASHEET

SPMK214L Hydraulic pressure test pump

BCLog-Control

Distributed by AKRIBIS



SPMK214L
Hydraulic Pressure Test Pump



Product Description

SPMK214L pressure test pump is hydraulic pressure generator with hydraulic oil or distilled water media. It can generate pressure of 0 to 700bar (0-10,000)psi. It is portable design which is suitable for both field and lab usage. The special design structure makes it a perfect equipment for calibrating pressure gauges, pressure transmitters, pressure sensors, and other pressure instruments.

Product Characteristics

- Pressure range 0-700bar, 0-10,000psi;
- Perfect pressure stability;
- Hand tight quick connector, easy to connect the under tested device;
- Special structure makes easy to reach high pressure;
- Fine adjustment screw of 0.1kPa;
- Hard oxidation treatment, wear-resistant, scratch-resistant.

Product Specifications

Model	SPMK214L
Pressure range	(0-700)bar, (0-10,000)psi
Fine adjustment	0.1kPa
Medium	Mineral oil (Distilled water) two types
Dimensions	(384×198×180)mm
Weight	4.7kg
Outport thread	M20*1.5, 1/4NPT, 1/4BSP, 1/2NPT, 1/2BSP Female. Please confirm 1 or 2 thread type from above.
Accessories	Outport O rings and repair kits
Warranty	1 year

AKRIBIS · www.akribis.info · contacto@akribis.info

Pressure Test Pumps Selection Form

Model	Photo	Type	Range	Media	Weight	Page
SPMK212C		Pneumatic	(-0.5-0.5)bar,(-7-7)psi	Air	1.5kg	P15
SPMK213C		Pneumatic	(-0.7-1)bar,(-10-15)psi	Air	3.0kg	P16
SPMK213B		Pneumatic	(-0.95-6)bar,(-14-90)psi	Air	2.6kg	P17
SPMK213H		Pneumatic	(-0.95-25)bar,(-14-375)psi; (-0.95-40)bar,(-14-600)psi	Air	2.6kg	P18
SPMK213E		Pneumatic	(-0.95-70)bar,(-14-1000)psi; (-0.95-100)bar,(-14-1500)psi	Air	5.5kg	P19
SPMK214E		Pneumatic	(-0.95-160)bar,(-14-2320)psi; (-0.95-200)bar,(-14-3000)psi	Air	6.5kg	P20
SPMK214L		Hydraulic	(0-700)bar,(0-10,000)psi	Water / Oil	4.7kg	P21
SPMK2000E		Pneumatic	(-0.95-60)bar,(-14-900)psi	Air	14.0kg	P22
SPMK990S		Hydraulic	(0-600)bar,(0-9,000)psi; (0-1,000)bar,(0-15,000)psi	Water	15.0kg	P23
SPMK990Y		Hydraulic	(0-600)bar,(0-9,000)psi; (0-1,000)bar,(0-15,000)psi	Oil	15.0kg	P23
SPMK213K		Hydraulic	(0-2,500)bar,(0-36,500)psi	Water / Oil	17.0kg	P24
SPMK214K		Hydraulic	(0-4,200)bar,(0-60,000)psi	Oil	22.8kg	P25