

ORDERING GUIDE

DTM-Series

Dynamic Ratings

Distributed by AKRIBIS





DTM Series

Ordering Guide

Option	Configuration Code										Description	
Base Unit	DTM	-	X	-	X	X	X	X	-	X	-	X
	DTM											DTM Base Unit
Systems Option												
		V										3 Voltage + 3 Current Inputs (Standard)
		I										6 Current Inputs
Expansion Modules												
			N	N	N	N						None (no more than 3 digits can use 'N')
			B	B	B	B						6 Input Bushing Power Factor and Capacitance Module
			E	E	E	E						15 Channel Partial Discharge Module
System Packaging Options												
								S				Stand Alone
								P				Panel Mounted ¹
								E				NEMA-4 Enclosure Mounted ¹
Communications Protocol												
								D				DNP 3.0
								E				Modbus Communication (Standard)

¹ Packaging options P and E include the instrument mounted with all terminals wired out to terminal blocks.
All bushing sensor connections have shorting terminal blocks. A fused incoming power connection is provided.
Panel size may vary to accommodate base system selection.

RESPONSIVE

ASSET HEALTH SOLUTIONS



An ISO 9001, ISO 14001, ISO 27001, ISO 45001 Certified Company.

Americas

+1 262 746-1230

sales.us@dynamicratings.com

Asia Pacific

+61 3 8544-0700

sales.asia@dynamicratings.com

Europe/ Africa

+44 1617 681111

sales.eu@dynamicratings.com

www.dynamicratings.com