
akribis

CATALOGUE

Class M1 · Precision weights

Häfner

Distributed by AKRIBIS



M1

Precision weights – class M1

Adjustment, testing and calibration weights for commercial balances (class III) and for quality assurance of scales with steps ≤ 10 000 according to ISO 9001ff.

Weights for calibration of weights of classes M2 and M3.

Weights in the exclusive assortment case.

ACCESSORIES



All weight sets include gloves, two brushes and two tweezers.

Up to 50 g without big tweezers, big brush and gloves.



CLEAN ROOM PLASTIC CASES

BEECH WOODEN BOX

SERVICE CASE


PLASTIC BOXES WITH SCREWED TOP

LEATHER CASES

Milligramm weights

ALUMINIUM / GERMAN SILVER NICKEL

Flat polygonal sheets



SINGLE WEIGHT

Nominal value	Tol.	without box	Plastic boxes with screwed top	Clean room plastic cases	**DAkkS** Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.
1 mg	0,2	5.PAHO-010	5.PAHD-010	5.PAHP-010	5.0000-011
2 mg	0,2	5.PAHO-020	5.PAHD-020	5.PAHP-020	5.0000-021
5 mg	0,2	5.PAHO-030	5.PAHD-030	5.PAHP-030	5.0000-031
10 mg	0,25	5.PNHO-040	5.PNHD-040	5.PNHP-040	5.0000-041
20 mg	0,3	5.PNHO-050	5.PNHD-050	5.PNHP-050	5.0000-051
50 mg	0,4	5.PNHO-060	5.PNHD-060	5.PNHP-060	5.0000-061
100 mg	0,5	5.PNHO-070	5.PNHD-070	5.PNHP-070	5.0000-071
200 mg	0,6	5.PNHO-080	5.PNHD-080	5.PNHP-080	5.0000-081
500 mg	0,8	5.PNHO-090	5.PNHD-090	5.PNHP-090	5.0000-091

1–5 mg aus Aluminium

SETS

Nominal value	Qty.	Content	Clean room plastic cases	Beech wood box	**DAkkS** Calibration certificate
			Art.no.	Art.no.	Art.no.
1 mg–500 mg	12	1,11 g	5.XMFP-710	5.XMFB-710	5.0000-711

3-Part service case

Available for all classes of weights

1 mg–5 kg



Trolley

Available for all classes of weights

1 mg–10 kg

1 mg–20 kg



Knob weights



BRASS finely turned

as long as supplies last

SINGLE WEIGHT

Nominal value	Tol.	without box	Plastic boxes with screwed top	Clean room plastic cases	Beech wood box	Service case	**DAkkS** Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.	Art.no.	5.0000- Art.no.
1 g	1	5.KMFO-110	5.KMFD-110	5.KMFP-110	5.KMFB-110		...111
2 g	1,2	5.KMFO-120	5.KMFD-120	5.KMFP-120	5.KMFB-120		...121
5 g	1,6	5.KMFO-130	5.KMFD-130	5.KMFP-130	5.KMFB-130		...131
10 g	2	5.KMFO-140	5.KMFD-140	5.KMFP-140	5.KMFB-140		...141
20 g	2,5	5.KMFO-150	5.KMFD-150	5.KMFP-150	5.KMFB-150		...151
50 g	3	5.KMFO-160	5.KMFD-160	5.KMFP-160	5.KMFB-160		...161
100 g	5	5.KMFO-170	5.KMFD-170		5.KMFB-170		...171
200 g	10	5.KMFO-180	5.KMFD-180		5.KMFB-180		...181
500 g	25	5.KMFO-190	5.KMFD-190		5.KMFB-190		...191
1 kg	50	5.KMFO-210	5.KMFD-210		5.KMFB-210		...211
2 kg	100	5.KMFO-220	5.KMFD-220		5.KMFB-220		...221
5 kg	250	5.KMFO-230	5.KMFD-230		5.KMFB-230	5.KMFS-230	...231
10 kg	500	5.KMFO-240	5.KMFD-240		5.KMFB-240	5.KMFS-240	...241
20 kg	1.000	5.KMFO-250			5.KMFB-250	5.KMFS-250	...251

SETS

Nominal value	Qty.	Content	Clean room plastic box	Beech wood box	Service case	**DAkkS** Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 g–50 g	8	110 g	5.XAFP-560	5.XAFB-560	5.XAFS-560	5.0000-561
1 g–100 g	9	210 g	5.XAFP-570	5.XAFB-570	5.XAFS-570	5.0000-571
1 g–200 g	11	610 g	5.XAFP-580	5.XAFB-580	5.XAFS-580	5.0000-581
1 g–500 g	12	1.110 g	5.XAFP-590	5.XAFB-590	5.XAFS-590	5.0000-591
1 g–1 kg	13	2.110 g	5.XAFP-610	5.XAFB-610	5.XAFS-610	5.0000-611
1 g–2 kg	15	6.110 g	5.XAFP-620	5.XAFB-620	5.XAFS-620	5.0000-621
1 g–5 kg	16	11.110 g	5.XAFP-630	5.XAFB-630	5.XAFS-630	5.0000-631
1 g–10 kg	17	21.110 g	5.XAFP-640	5.XAFB-640	5.XAFS-640	5.0000-641

SETS with mg-weights (flat polygonal sheets)

Nominal value	Qty.	Content	Clean room plastic box	Beech wood box	Service case	**DAkkS** Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 mg–50 g	20	111,11 g	5.XMFP-760	5.XMFB-760	5.XMFS-760	5.0000-761
1 mg–100 g	21	211,11 g	5.XMFP-770	5.XMFB-770	5.XMFS-770	5.0000-771
1 mg–200 g	23	611,11 g	5.XMFP-780	5.XMFB-780	5.XMFS-780	5.0000-781
1 mg–500 g	24	1.111,11 g	5.XMFP-790	5.XMFB-790	5.XMFS-790	5.0000-791
1 mg–1 kg	25	2.111,11 g	5.XMFP-810	5.XMFB-810	5.XMFS-810	5.0000-811
1 mg–2 kg	27	6.111,11 g	5.XMFP-820	5.XMFB-820	5.XMFS-820	5.0000-821
1 mg–5 kg	28	11.111,11 g	5.XMFP-830	5.XMFB-830	5.XMFS-830	5.0000-831
1 mg–10 kg	29	21.111,11 g	5.XMFP-840	5.XMFB-840	5.XMFS-840	5.0000-841

AKRIBIS · www.akribis.info · contacto@akribis.info

Knob weights



STAINLESS STEEL HF12 finely turned

SINGLE WEIGHT

Nominal value	Tol.	without box	Plastic boxes with screwed top	Clean room plastic cases	Beech wood box	Service case	**DAkkS** Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.	Art.no.	5.0000- Art.no.
1 g	1	5.KEFO-110	5.KEFD-110	5.KEFP-110	5.KEFB-110		...111
2 g	1,2	5.KEFO-120	5.KEFD-120	5.KEFP-120	5.KEFB-120		...121
5 g	1,6	5.KEFO-130	5.KEFD-130	5.KEFP-130	5.KEFB-130		...131
10 g	2	5.KEFO-140	5.KEFD-140	5.KEFP-140	5.KEFB-140		...141
20 g	2,5	5.KEFO-150	5.KEFD-150	5.KEFP-150	5.KEFB-150		...151
50 g	3	5.KEFO-160	5.KEFD-160	5.KEFP-160	5.KEFB-160		...161
100 g	5	5.KEFO-170	5.KEFD-170	5.KEFP-170	5.KEFB-170		...171
200 g	10	5.KEFO-180	5.KEFD-180	5.KEFP-180	5.KEFB-180		...181
500 g	25	5.KEFO-190	5.KEFD-190	5.KEFP-190	5.KEFB-190		...191
1 kg	50	5.KEFO-210	5.KEFD-210	5.KEFP-210	5.KEFB-210		...211
2 kg	100	5.KEFO-220	5.KEFD-220	5.KEFP-220	5.KEFB-220		...221
5 kg	250	5.KEFO-230	5.KEFD-230	5.KEFP-230	5.KEFB-230	5.KEFS-230	...231
10 kg	500	5.KEFO-240	5.KEFD-240	5.KEFP-240	5.KEFB-240	5.KEFS-240	...241
20 kg	1.000	5.KEFO-250		5.KEFP-250	5.KEFB-250	5.KEFS-250	...251

SETS

Nominal value	Qty.	Content	Clean room plastic box	Beech wood box	Service case	**DAkkS** Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 g–50 g	8	110 g	5.XKFP-560	5.XKFB-560	5.XKFS-560	5.0000-561
1 g–100 g	9	210 g	5.XKFP-570	5.XKFB-570	5.XKFS-570	5.0000-571
1 g–200 g	11	610 g	5.XKFP-580	5.XKFB-580	5.XKFS-580	5.0000-581
1 g–500 g	12	1.110 g	5.XKFP-590	5.XKFB-590	5.XKFS-590	5.0000-591
1 g–1 kg	13	2.110 g	5.XKFP-610	5.XKFB-610	5.XKFS-610	5.0000-611
1 g–2 kg	15	6.110 g	5.XKFP-620	5.XKFB-620	5.XKFS-620	5.0000-621
1 g–5 kg	16	11.110 g	5.XKFP-630	5.XKFB-630	5.XKFS-630	5.0000-631
1 g–10 kg	17	21.110 g	5.XKFP-640	5.XKFB-640	5.XKFS-640	5.0000-641

SETS with mg- weights (flat polygonal sheets)

Nominal value	Qty.	Content	Clean room plastic box	Beech wood box	Service case	**DAkkS** Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 mg–50 g	20	111,11 g	5.XFFP-760	5.XFFB-760	5.XFFS-760	5.0000-761
1 mg–100 g	21	211,11 g	5.XFFP-770	5.XFFB-770	5.XFFS-770	5.0000-771
1 mg–200 g	23	611,11 g	5.XFFP-780	5.XFFB-780	5.XFFS-780	5.0000-781
1 mg–500 g	24	1.111,11 g	5.XFFP-790	5.XFFB-790	5.XFFS-790	5.0000-791
1 mg–1 kg	25	2.111,11 g	5.XFFP-810	5.XFFB-810	5.XFFS-810	5.0000-811
1 mg–2 kg	27	6.111,11 g	5.XFFP-820	5.XFFB-820	5.XFFS-820	5.0000-821
1 mg–5 kg	28	11.111,11 g	5.XFFP-830	5.XFFB-830	5.XFFS-830	5.0000-831
1 mg–10 kg	29	21.111,11 g	5.XFFP-840	5.XFFB-840	5.XFFS-840	5.0000-841

AKRIBIS · www.akribis.info · contacto@akribis.info

Hook weight



BRASS finely turned

as long as supplies last

SINGLE WEIGHT

Nominal value	Tol.	without box	Plastic boxes with screwed top	Clean room plastic cases	Beech wood box	Service case	**DAkkS** Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.	Art.no.	5.0000- Art.no.
1 g	1	5.HMFO-110	5.HMFD-110	5.HMFP-110	5.HMFB-110		...111
2 g	1,2	5.HMFO-120	5.HMFD-120	5.HMFP-120	5.HMFB-120		...121
5 g	1,6	5.HMFO-130	5.HMFD-130	5.HMFP-130	5.HMFB-130		...131
10 g	2	5.HMFO-140	5.HMFD-140	5.HMFP-140	5.HMFB-140		...141
20 g	2,5	5.HMFO-150	5.HMFD-150	5.HMFP-150	5.HMFB-150		...151
50 g	3	5.HMFO-160	5.HMFD-160	5.HMFP-160	5.HMFB-160		...161
100 g	5	5.HMFO-170	5.HMFD-170	5.HMFP-170	5.HMFB-170		...171
200 g	10	5.HMFO-180	5.HMFD-180	5.HMFP-180	5.HMFB-180		...181
500 g	25	5.HMFO-190	5.HMFD-190	5.HMFP-190	5.HMFB-190		...191
1 kg	50	5.HMFO-210	5.HMFD-210	5.HMFP-210	5.HMFB-210		...211
2 kg	100	5.HMFO-220	5.HMFD-220	5.HMFP-220	5.HMFB-220		...221
5 kg	250	5.HMFO-230	5.HMFD-230	5.HMFP-230	5.HMFB-230	5.HMFS-230	...231
10 kg	500	5.HMFO-240	5.HMFD-240	5.HMFP-240	5.HMFB-240	5.HMFS-240	...241
20 kg	1.000	5.HMFO-250		5.HMFP-250	5.HMFB-250	5.HMFS-250	...251
50 kg	2.500	5.HMFO-260			5.HMFB-260	5.HMFS-260	...261

SETS

Nominal value	Qty.	Content	Clean room plastic box	Beech wood box	Service case	**DAkkS** Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 g–50 g	8	110 g	5.XHFP-560	5.XHFB-560	5.XHFS-560	5.0000-561
1 g–100 g	9	210 g	5.XHFP-570	5.XHFB-570	5.XHFS-570	5.0000-571
1 g–200 g	11	610 g	5.XHFP-580	5.XHFB-580	5.XHFS-580	5.0000-581
1 g–500 g	12	1.110 g	5.XHFP-590	5.XHFB-590	5.XHFS-590	5.0000-591
1 g–1 kg	13	2.110 g	5.XHFP-610	5.XHFB-610	5.XHFS-610	5.0000-611
1 g–2 kg	15	6.110 g	5.XHFP-620	5.XHFB-620	5.XHFS-620	5.0000-621
1 g–5 kg	16	11.110 g	5.XHFP-630	5.XHFB-630	5.XHFS-630	5.0000-631
1 g–10 kg	17	21.110 g	5.XHFP-640	5.XHFB-640	5.XHFS-640	5.0000-641





Hook weight



STAINLESS STEEL HF12 finely turned

SINGLE WEIGHT

Nominal value	Tol.	without box	Plastic boxes with screwed top	Clean room plastic cases	Beech wood box	Service case	**DAkkS** Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.	Art.no.	5.0000- Art.no.
1 g	1	5.HEFO-110	5.HEFD-110	5.HEFP-110	5.HEFB-110		...111
2 g	1,2	5.HEFO-120	5.HEFD-120	5.HEFP-120	5.HEFB-120		...121
5 g	1,6	5.HEFO-130	5.HEFD-130	5.HEFP-130	5.HEFB-130		...131
10 g	2	5.HEFO-140	5.HEFD-140	5.HEFP-140	5.HEFB-140		...141
20 g	2,5	5.HEFO-150	5.HEFD-150	5.HEFP-150	5.HEFB-150		...151
50 g	3	5.HEFO-160	5.HEFD-160	5.HEFP-160	5.HEFB-160		...161
100 g	5	5.HEFO-170	5.HEFD-170	5.HEFP-170	5.HEFB-170		...171
200 g	10	5.HEFO-180	5.HEFD-180	5.HEFP-180	5.HEFB-180		...181
500 g	25	5.HEFO-190	5.HEFD-190	5.HEFP-190	5.HEFB-190		...191
1 kg	50	5.HEFO-210	5.HEFD-210	5.HEFP-210	5.HEFB-210		...211
2 kg	100	5.HEFO-220	5.HEFD-220	5.HEFP-220	5.HEFB-220		...221
5 kg	250	5.HEFO-230	5.HEFD-230	5.HEFP-230	5.HEFB-230	5.HEFS-230	...231
10 kg	500	5.HEFO-240	5.HEFD-240	5.HEFP-240	5.HEFB-240	5.HEFS-240	...241
20 kg	1.000	5.HEFO-250		5.HEFP-250	5.HEFB-250	5.HEFS-250	...251
50 kg	2.500	5.HEFO-260			5.HEFB-260	5.HEFS-260	...261

SETS

Nominal value	Qty.	Content	Clean room plastic box	Beech wood box	Service case	**DAkkS** Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 g–50 g	8	110 g	5.XUFP-560	5.XUFB-560	5.XUFS-560	5.0000-561
1 g–100 g	9	210 g	5.XUFP-570	5.XUFB-570	5.XUFS-570	5.0000-571
1 g–200 g	11	610 g	5.XUFP-580	5.XUFB-580	5.XUFS-580	5.0000-581
1 g–500 g	12	1.110 g	5.XUFP-590	5.XUFB-590	5.XUFS-590	5.0000-591
1 g–1 kg	13	2.110 g	5.XUFP-610	5.XUFB-610	5.XUFS-610	5.0000-611
1 g–2 kg	15	6.110 g	5.XUFP-620	5.XUFB-620	5.XUFS-620	5.0000-621
1 g–5 kg	16	11.110 g	5.XUFP-630	5.XUFB-630	5.XUFS-630	5.0000-631
1 g–10 kg	17	21.110 g	5.XUFP-640	5.XUFB-640	5.XUFS-640	5.0000-641





AKRIBIS · www.akribis.info · contacto@akribis.info

Block weights



rectangular

SINGLE WEIGHT — CAST IRON black painted

Nominal value	Tol.	without box	Leather cases	Service case	DAkkS Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.
5 kg	250	5.BGSO-230	5.BGSL-230	5.BGSS-230	5.0000-231
10 kg	500	5.BGSO-240	5.BGSL-240	5.BGSS-240	5.0000-241
20 kg	1.000	5.BGSO-250	5.BGSL-250	5.BGSS-250	5.0000-251
25 kg	1.250	5.BGSO-450		5.BGSS-450	5.0000-451
50 kg	2.500	5.BGSO-260		5.BGSS-260	5.0000-261

SINGLE WEIGHTE — CAST IRON zinc sprayed




Nominal value	Tol.	without box	Leather cases	Service case	DAkkS Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.
5 kg	250	5.BGZO-230	5.BGZL-230	5.BGZS-230	5.0000-231
10 kg	500	5.BGZO-240	5.BGZL-240	5.BGZS-240	5.0000-241
20 kg	1.000	5.BGZO-250	5.BGZL-250	5.BGZS-250	5.0000-251
25 kg	1.250	5.BGZO-450		5.BGZS-450	5.0000-451
50 kg	2.500	5.BGZO-260		5.BGZS-260	5.0000-261

SINGLE WEIGHT — STAINLESS STEEL HF12 polished / glass pearl blasted




Nominal value	Tol.	without box	Leather cases	Service case	DAkkS Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.
5 kg	250	5.BETO-230	5.BETL-230	5.BEGS-230	5.0000-231
10 kg	500	5.BETO-240	5.BETL-240	5.BEGS-240	5.0000-241
20 kg	1.000	5.BETO-250	5.BETL-250	5.BEGS-250	5.0000-251
25 kg	1.250	5.BETO-450		5.BEGS-450	5.0000-451
50 kg	2.500	5.BETO-260		5.BEGS-260	5.0000-261





Block weights



STAINLESS STEEL HF12

round

polished / glass pearl blasted

SINGLE WEIGHT

Nominal value	Tol.	without box	Service case	**DAkkS** Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.
5 kg	250	5.RETO-230	5.RETS-230	5.0000-231
10 kg	500	5.RETO-240	5.RETS-240	5.0000-241
20 kg	1.000	5.RETO-250	5.RETS-250	5.0000-251
25 kg	1.250	5.RETO-450	5.RETS-450	5.0000-451
50 kg	2.500	5.RETO-260	5.RETS-260	5.0000-261

Basket weights




STAINLESS STEEL HF12

for round block weights

polished / glass pearl blasted

Nominal value	max. weight	Tol.	without box	**DAkkS** Calibration certificate
		+/- mg	Art.no.	Art.no.
20 kg	120 kg	1.000	5.NETO-250	5.0000-251
40 kg	250 kg	2.000	5.NETO-410	5.0000-411
50 kg	500 kg	2.500	5.NETO-260	5.0000-261
60 kg	500 kg	3.000	5.NETO-420	5.0000-421



for rectangular block weights



Nominal value	max. weight	Tol.	without box	**DAkkS** Calibration certificate
		+/- mg	Art.no.	Art.no.
20 kg	120 kg	1.000	5.LETO-250	5.0000-251
40 kg	250 kg	2.000	5.LETO-410	5.0000-411
50 kg	500 kg	2.500	5.LETO-260	5.0000-261
60 kg	500 kg	3.000	5.LETO-420	5.0000-421

Custom-made products according to customer specification.

Block weights

rectangular

SINGLE WEIGHT

Nominal value	Tol.		**CAST IRON** black painted without box	**CAST IRON** zinc sprayed without box	**DAkkS** Calibration certificate
		+/- g	Art.no.	Art.no.	Art.no.
100 kg		5	5.BGSO-270	5.BGZO-270	5.0000-271
200 kg		10	5.BGSO-280	5.BGZO-280	5.0000-281
250 kg		12,5	5.BGSO-460	5.BGZO-460	5.0000-461
500 kg		25	5.BGSO-290	5.BGZO-290	5.0000-291
1000 kg		50	5.BGSO-310	5.BGZO-310	5.0000-311
2000 kg		100	5.BGSO-320	5.BGZO-320	5.0000-321

round with eyebolt



SINGLE WEIGHT

STAINLESS STEEL HF12 polished / glass pearl blasted

Nominal value	Tol.		without box	**DAkkS** Calibration certificate
		+/- g	Art.no.	Art.no.
100 kg		5	5.BETO-270	5.0000-271
200 kg		10	5.BETO-280	5.0000-281
250 kg		12,5	5.BETO-460	5.0000-461
500 kg		25	5.BETO-290	5.0000-291
1000 kg		50	5.BETO-310	5.0000-311
2000 kg		100	5.BETO-320	5.0000-321

Rolling weights

CAST IRON black painted



SINGLE WEIGHT

Nominal value	Tol.		without box	**DAkkS** Calibration certificate
		+/- g	Art.no.	Art.no.
100 kg		5	5.RGSO-270	5.0000-271
200 kg		10	5.RGSO-280	5.0000-281
500 kg		25	5.RGSO-290	5.0000-291

Carrier weights




SINGLE WEIGHT

Nominal value	Tol.	**BRASS** finely turned as long as supplies last without box	**STAINLESS STEEL HF12** finely turned without box	**STEEL** black finished without box	**DAkkS** Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.
1 g	1	5.TMFO-110			5.0000-111
2 g	1,2	5.TMFO-120			5.0000-121
5 g	1,6	5.TMFO-130			5.0000-131
10 g	2	5.TMFO-140	5.TEFO-140		5.0000-141
20 g	2,5	5.TMFO-150	5.TEFO-150		5.0000-151
50 g	3	5.TMFO-160	5.TEFO-160		5.0000-161
100 g	5	5.TMFO-170	5.TEFO-170		5.0000-171
200 g	10	5.TMFO-180	5.TEFO-180		5.0000-181
500 g	25	5.TMFO-190	5.TEFO-190	5.TSBO-190	5.0000-191
1 kg	50	5.TMFO-210	5.TEFO-210	5.TSBO-210	5.0000-211
2 kg	100	5.TMFO-220	5.TEFO-220	5.TSBO-220	5.0000-221
5 kg	250	5.TMFO-230	5.TEFO-230	5.TSBO-230	5.0000-231
10 kg	500	5.TMFO-240	5.TEFO-240	5.TSBO-240	5.0000-241
20 kg	1.000	5.TMFO-250	5.TEFO-250	5.TSBO-250	5.0000-251
50 kg	2.500	5.TMFO-260	5.TEFO-260	5.TSBO-260	5.0000-261

DAkkS calibration: Case necessary for weights ≤ 500 g.

Slotted weights



SINGLE WEIGHT

Nominal value	Tol.	**BRASS** finely turned as long as supplies last without box	**STAINLESS STEEL HF12** finely turned without box	**CAST IRON** black painted without box	**DAkkS** Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.
1 g	1	5.IMFO-110	5.IEFO-110		5.0000-111
2 g	1,2	5.IMFO-120	5.IEFO-120		5.0000-121
5 g	1,6	5.IMFO-130	5.IEFO-130		5.0000-131
10 g	2	5.IMFO-140	5.IEFO-140		5.0000-141
20 g	2,5	5.IMFO-150	5.IEFO-150		5.0000-151
50 g	3	5.IMFO-160	5.IEFO-160		5.0000-161
100 g	5	5.IMFO-170	5.IEFO-170		5.0000-171
200 g	10	5.IMFO-180	5.IEFO-180		5.0000-181
500 g	25	5.IMFO-190	5.IEFO-190	5.IGSO-190	5.0000-191
1 kg	50	5.IMFO-210	5.IEFO-210	5.IGSO-210	5.0000-211
2 kg	100	5.IMFO-220	5.IEFO-220	5.IGSO-220	5.0000-221
5 kg	250	5.IMFO-230	5.IEFO-230	5.IGSO-230	5.0000-231
10 kg	500	5.IMFO-240	5.IEFO-240	5.IGSO-240	5.0000-241
20 kg	1.000	5.IMFO-250	5.IEFO-250	5.IGSO-250	5.0000-251
50 kg	2.500			5.IGSO-260	5.0000-261

DAkkS calibration: Case necessary for weights ≤ 500 g.

AKRIBIS · www.akribis.info · contacto@akribis.info